

FSTD No EU-A0132

S/N: FlightSafety / 8717

Cessna C680A Latitude

Located at

FlightSafety International, Inc.
4010 Bridgeway Avenue
Columbus, Ohio 43219
USA

FSTD DATA SHEET

A.	Type or variant of aircraft:	Cessna C680A Latitude
B.	FSTD qualification level:	AEROPLANE FFS LEVEL D
C.	Primary reference document:	CS-FSTD(A) initial issue, and refer to section J. & K
D.	Visual system:	FSI FVS, Vital 1100, LCoS-laser projectors, FOV 180degx40deg
E.	Motion system:	FSI FSS, 36 inch, electric, 6 DOF
F.	Engine fit:	Pratt & Whitney PW306D
G.	Instrument fit:	According to aircraft type equipped with Garmin G5000 (ver. 4.5)
H.	ACAS fit:	TCAS II (ver. 7.1)
I.	Windshear:	Profiles available
J.	Additional capabilities:	UPRT, high altitude cruise approach-to-stall event, icing according to CS-FSTD(A) issue 2
K.	Restrictions or limitations:	None
L.	Guidance information for training, testing and checking considerations	
CAT I	RVR 550 m	DH 200 ft
CAT II	RVR 300 m	DH 100 ft
CAT III (lowest minimum)	RVR m	DH ft
LVTO	RVR 125 m	
Recency		yes
IFR-training / check		yes / yes
Type rating		yes
Proficiency checks		yes
Autocoupled approach		yes
Autoland / roll out guidance		n/a / n/a
ACAS I / II		n/a / yes
Windshear warning system / predictive windshear		yes / n/a
WX-radar		yes
HUD / HUGS		n/a / n/a
FANS		n/a
GPWS / EGPWS		n/a / n/a
GPS		yes
ETOPS capability		n/a
Other:	Class A Terrain Awareness Warning System (TAWS-A), RNP APCH: [LNAV, LNAV/VNAV, LPV, AR], steep approach capability	