

FSTD DATA SHEET

EU-DK144

FSTD Boeing 737-800W SFP

S/N: CAE – 2NB6/114321

Located at

CAE STS Ltd.

CAE Centre Stockholm AB

Kabinvägen 5

SE-190 60 Stockholm-Arlanda

Sweden

A.	Type or variant of aircraft	Boeing 737-800W SFP (Short-Field Performance)		
B.	FSTD qualification level	AEROPLANE FFS LEVEL D		
C.	Primary reference document	CS-FSTD(A) issue 2		
D.	Visual system	CAE, Tropos 6000XR, DLP-LED projectors, FOV 180degx40deg		
E.	Motion system	CAE, 60 inch, hydraulic, 6 DOF		
F.	Engine fit	CFM56-7B26		
G.	Instrument fit	According to aircraft type		
H.	ACAS fit	TCAS II (ver. 7.1)		
I.	Windshear	Profiles available		
J.	Additional capabilities	Full/Post stall		
K.	Restrictions or limitations	None		
L.	Guidance information for training, testing and checking considerations			
CAT I	RVR	550 m	DH 200 ft	yes
CAT II	RVR	300 m	DH 100 ft	yes
CAT III (lowest minimum)	RVR	75 m	DH no	yes
LVTO	RVR	125 m		yes
Recency				yes
IFR-training / check				yes / yes
Type rating				yes
Proficiency checks				yes
Autocoupled approach				yes
Autoland / roll out guidance				yes / yes
ACAS I / II				n/a / yes
Windshear warning system / predictive windshear				yes / yes
WX-radar				yes
HUD / HUGS				n/a / n/a
FANS				n/a
GPWS / EGPWS				n/a / yes
ETOPS capability				yes
GPS				yes
Other	Smoke, RNP APCH limited to: [LNAV, LNAV/VNAV, AR]			

Revision 2, date of issue: 6 September 2024 - EU-DK144_CERT_REV_2_20240906-DS